

All Kleer/Sol-Tech Group  
4273 Salzman Road  
Middletown, Ohio 45044  
855-777-3384

## Safety Data Sheet

**Product Number:** All Kleer  
**Issue Date:** December 9, 2016

### 1. IDENTIFICATION

**Product Number:** All Kleer

Recommended use of the chemical:  
Restrictions on use:

Water based cleaner  
None known

Emergency Phone Number:

INFOTRAC 800-535-5053 or 1-352-323-3500

### 2. HAZARDS IDENTIFICATION

OSHA HAZCOM 2012/GHS HAZARD CLASSIFICATION: Not hazardous.  
NO PICTOGRAM REQUIRED.

LABELING:

This product is not classified as hazardous in accordance with the OSHA Hazard Communication Standard 29 CFR 1910.1200 (2012) or Canadian WHMIS 2015.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Chemical Name</u>	<u>CAS No.</u>	<u>Concentration</u>
Isopropanol	67-63-0	1-15%
Aluminum Silicate	66402-68-4	1-10%

### 4. FIRST-AID MEASURES

Eye:

Irrigate with eyewash solution or clean water until pain is relieved.  
Obtain medical attention.

Skin Contact:

Wash skin with soap and water. If symptoms develop, obtain medical attention.

Inhalation:

Remove to fresh air. Get medical attention if irritation persists.

Ingestion:

Treat symptomatically and supportively. Get medical attention, DO NOT attempt to give anything by mouth to an unconscious person.

MOST IMPORTANT SYMPTOMS/EFFECTS,  
ACUTE AND DELAYED:

May cause mild eye and skin irritation.

INDICATION OF IMMEDIATE MEDICAL  
ATTENTION AND SPECIAL TREATMENT,  
IF NECESSARY:

None normally required.

All Kleer/Sol-Tech Group  
4273 Salzman Road  
Middletown, Ohio 45044  
855-777-3384

## 5. FIREFIGHTING MEASURES

EXTINGUISHING MEDIA: Water spray or fog, CO<sub>2</sub>, dry chemical; Foam

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS: Fire fighters should be equipped with self-contained breathing apparatus to protect against potentially toxic And irritating fumes.

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL: This is a water-based product and presents no particular fire or explosion hazard. Dry polymer film will burn. Product contains low level of organic volatiles which maybe volatiles which may be emitted at elevated temperatures. Hazardous combustion products include carbon monoxide, carbon dioxide, unknown hydrocarbons.

## 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, EMERGENCY PRECEURES: No special protection is normally required.

ENVIRONMENTAL PRECAUTIONS: Avoid release to the environment; Washings must be prevented from entering surface water drains.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP: Absorb spillages onto sand, earth or any suitable absorbent material. Sweep up and shovel into waste drum. Wash the spillage area with water.

For safety and environmental precautions, please review entire Safety Date Sheet for necessary information.

## 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING: Avoid breathing vapors. Avoid contact with eyes. Protect contains low level or organic volatiles which could accumulate in the unvented headspace of drums or bulk storage vessels. Open drums in well ventilated areas. Remove contaminated clothing and launder before reuse. Wash before eating, drinking, or using toilet facilities.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITES: Avoid extreme temperatures, Keep containers tightly closed in a cool dry , well ventilated place. Keep away from direct sunlight and heat. Hot surfaces, open flames and ignition sources

STORAGE TEMPERATURE: 40-100°F

## 8. EXPOSURE CONTROL/PERSONAL PROTECTION

### EXPOSURE GUIDELINES:

Non-Hazardous water based polymer emulsion	None Established
--	------------------

APPROPRIATE ENGINEERING CONTROLS: Good general ventilation should be adequate.

PERSONAL PROTECTION:

EYE PROTECTION: Wear safety glasses with side shields. Protect against splashing.

GLOVES: The use of chemically resistant gloves is recommended. Uniforms, coveralls, or a lab coat should be worn. Rubber boots and apron if Expose is severe. None required under normal handling conditions.

PROTECTIVE CLOTHING:

RESPIRATORY PROTECTION: Use NIOSH approved respirator if vapor or mist levels are irritating.

All Kleer/Sol-Tech Group  
4273 Salzman Road  
Middletown, Ohio 45044  
855-777-3384

## 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Liquid	COLOR: White
ODOR THRESHOLD:	ODOR: Characteristic, alcohol
MELTING/FREEZING POINT: Approximately 32 <sup>0</sup> F	INITIAL BOILING POINT/RANGE: Not known
FLASH POINT: Not known	EVAPORATION RATE: Same as water
FLAMMABILITY (SOLID, GAS): Not applicable	pH: Not known
FLAMMALBE LIMITS: LEL Not applicable	UEL: Not applicable
VAPOR PRESSURE: Same as water	VAPOR DENSITY: Same as water
RELATIVE DENSITY: Approximately 1.1	SOLUBILITY (IES): Miscible in water
PARTITION COEFFICIENT: N-OCTANOL/WATER:	AUTO-IGNITION TEMPERATURE: Not available
DECOMPOSITION TEMPERATURE: Not available	VISCOSITY: Not Applicable
% NON VOLATILES: Approximately 54 %/w	

## 10. STABILITY AND REACTIVITY

REACTIVITY: Not reactive  
CHEMICAL STABILITY: Stable under recommended storage conditions.  
POSSIBILITY OF HAZARDOUS REACTIONS: Reactions with oxidizers may generate heat.  
CONDITIONS TO AVOID: Extremes of temperature ,heat, direct sunlight  
INCOMPATIBLE MATERIALS TO AVOID: None  
HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide

## 11. TOXICOLOGICAL INFORMATION

ROUTE OF ENTRY: Eye Contact: Skin Contact, Inhalation, Ingestion  
**ACUTE (SHORT TERM) EFFECTS OF EXPOSURE**  
EYE: Slight/mild irritant  
SKIN CONTACT: Repeated or prolonged skin contact may result in mild irritation.  
INHALATION: Vapor or aerosol, if generated, can cause irritation of the eyes, nose and respiratory tract.  
INGESTION: Ingestion may cause irritation of the gastrointestinal tract.

**CHRONIC (LONG TERM) EFFECTS OF EXPOSURE: NO CHRONIC EFFECTS ARE KNOWN**

NUMERICAL MEASURES OF TOXICITY: Ingredients are not acutely toxic  
CARCINOGENICITY: None of the ingredients are listed as carcinogens by IARC, NTP or OSHA.

## 12. ECOLOGICAL INFORMATION

Ecotoxicity: No data is available  
Environmental Fate: No data is available

## 13. DISPOSAL CONSIDERATIONS

To the best of our ability, this product does not meet the definition of hazardous waste under US EPA Hazardous Waste Regulation 40CFR261. Disposal via an approved facility is recommended. Consult state, local or provincial authorities for more restrictive requirements.

All Kleer/Sol-Tech Group  
4273 Salzman Road  
Middletown, Ohio 45044  
855-777-3384

#### 14. TRANSPORTATION INFORMATION

Consult Bill of Lading for transportation information.

DOT: Not Regulated  
IATA: Not Regulated

#### 15. REGULATORY INFORMATION

**TSCA Inventory Status and TSCA Information:**

This material or its components are listed on or are in compliance with the requirements of the TSCA Chemical Substance Inventory.

**TSCA 12 (B) Export Notifications:**

This material does not contain any TSCA 12 (b) regulated chemicals.

**CERCLA Regulated Chemicals:**

This material does not contain any CERCLA regulated chemicals.

**SARA 302 EHS Chemicals:**

This material does not contain any SARA extremely hazardous substances.

**SARA 311/312 Hazard Class:**

This product does not present any SARA 311/312 hazards.

**SARA 313 Chemicals:**

This material does not contain any SARA 313 chemical above de minimums levels.

#### 16. OTHER INFORMATION

HMIS® Hazard Ratings

HEALTH	FLAMMABILITY	REACTIVITY
1	0	0

**PREPARED BY:**                      **SDS COORDINATOR:**

The information given above is based on our best knowledge, and is believed it to true and accurate. No guaranty of accuracy is made. It is the purchaser's responsibility before using any product to verify this data under their own operating conditions and to determine whether the product is suitable for their purpose. Please read the entire product bulletin along with our conditions of sale which apply to all goods supplied by us. Industrial Adhesives of Indiana, Inc assumes no responsibility for the use of these statements, recommendations or suggestions, nor do we intend them as a recommendation for any use, which would infringe any patent or copyright.